

## JSD-AH2BR401-V

### ★ 2.0 Megapixel 1080P Outdoor IP66 IR Camera

- \* 1/2.8" 2.0 Megapixel SONY cmos
- \* Up to 300M long distance and high speed real time monitoring
- \* Day/Night (ICR), AWB, AGC, BLC, 2D/3D-DNR
- \* 40M IR distance, 3MP 2.8-12mm varifocal Lens
- \* Super WDR, Slow shutter, Smart IR, Sense up, Demist
- \* Motion detection, Digital zoom, Privacy mask, Mirror



### ★ Technician Specifications

<b>Model No.</b>	JSD-AH2BR401-V
<b>CAMERA</b>	
Image Sensor	1/2.8" 2.0 Megapixel SONY Cmos
Chipset	IMX322 + NVP2441H
Effective Pixels	1984(H)×1105 (V)
Min. Illumination	0.017Lux @(F1.2,AGC ON), 0 Lux with IR
IR Leds	42pcs IR Led
IR Distance	40 meters
Electronic Shutter Speed	Auto (1/25,1/30 ~ 1/10000s)
Video Frame Rate	25/30fps @1920×1080P
Video Output	1 channel, AHD /CVBS, adjustable
S/N Ratio	>60dB
Noise Reduction	2D/3D DNR
Day/Night	Auto (ICR) / Color / B/W / Extend
WDR	Support
Privacy Mask	Support
Other Function	AWB, AGC, BLC, HLC, Mirror, Motion Detection, Demist
<b>LENS</b>	
Focal Length	3MP 2.8-12mm varifocal Lens
Max Aperture	F1.4
Focus Control	Manual
Lens Type	Fixed Iris
Mount Type	Board-in Type
<b>GENERAL</b>	
Power Supply	DC12V ±10%
Working Environment	-20 °C ~ 60 °C
Humidity	Relative humidity below 90%
Transmission Distance	Up to 300m via 75-3 coaxial cable
Waterproof Protection	IP66





~~\_\_\_\_\_~~